




# The Brisa<sup>™</sup> wall system offers beauty, simplicity and design flexibility with the look of natural stone.

Deliver the random look of natural stone without the hassle with the new Brisa<sup>™</sup> wall system. With a design inspired by split limestone, the Brisa multiheight retaining wall system is an attractive alternative to traditional retaining wall blocks and the complementary freestanding wall product provides remarkable versatility for any outdoor project.






# Combining multiple heights and sizes, the Highland Stone® 6"/3" retaining wall system evokes the random look of hand-stacked walls.

If you're looking for a wall system that combines superior strength with an artistic appearance, look no further than the Highland Stone® 6" / 3" retaining wall system. Crafted with a rich, random appearance that combines multiple block sizes, heights and rough-hewn texture blend perfectly, providing you with the perfect outdoor space.





# Create the natural landscape of your dreams with Highland Stone® retaining walls

If you're looking for a retaining wall that combines superior strength with artistic beauty, look no further than Highland Stone® retaining walls. Crafted with a rich, textured appearance, this multipiece system perfectly complements any home or landscape, from majestic north woods to a tropical paradise.














Easy installation is more than lip service.

No pins. No mortar. No misalignments. Rear-lip locator, invented by Anchor, makes installation quick, efficient and accurate.

## Highland Stone® Freestanding Wall: Natural beauty that stands out in a crowd

From courtyards to patios, the multipiece Highland Stone® freestanding wall is the perfect choice to create a functional, beautiful and natural-looking wall that can add a polished touch to any residential landscape.











# lighland Stone Freestanding Wall eaturing Highland Stone Columns

#### HIGHLAND STONE® COLUMN CAP




## Hampton Stone Cut™ retaining walls combine natural beauty with time-tested, superior performance

With a timeless face-style, Hampton Stone Cut<sup>™</sup> retaining walls can give your landscape a new, improved look using the trusted quality of Anchor<sup>™</sup> technology.



# Hampton Stone° beveled face

# Hampton Stone® retaining walls offer strength with timeless beauty





retaining wall







# The Flores® retaining wall system adds a distinctive element to any landscape setting

Bring distinctive old-world character and charm to your landscape project! Beautifully textured, this single-piece product has the look of hand-assembled stone. The lightweight, easy-to-handle size makes this the perfect solution for small retaining walls and garden planters.




# Anchor Windsor® Stone, with its traditional beveled face and rear lip, is perfect for all your small landscape projects




# Let Aspen Stone® retaining walls give your yard a touch of detailed elegance

Make your yard a work of understated art with Aspen Stone® retaining walls. The smaller, subtly detailed blocks are the perfect choice for planters and short terraces. Their proven quality ensures that your landscape will stand the test of time.




# Diamond® retaining walls are famous for durability and have been trusted for decades



# Experience the graceful strength of Diamond Pro Stone Cut® retaining walls

With the proven strength of Diamond Pro® technology and a natural-stone appearance, the Diamond Pro Stone Cut® retaining wall system is the perfect choice for larger-scale projects that demand aesthetic beauty.



## Stone-Wall<sup>™</sup> – a simple shape with endless possibilities

Stone-Wall from Building Products Corp. offers you an easy to install single piece system. This tumbled stone has the sophisticated look of an old stone wall. Stone-Wall offers designers and homeowners endless design options from planters, seat walls, columns and more.



- **EASY TO BUILD**
- **DESIGN FLEXIBILITY**
- **MULTIPLE COLOR OPTIONS**

**DIMENSIONS** 3 %" Tall 7 %" Wide 15 %" Long





## Outdoor fire pits - create inviting areas

Easy to build outdoor fire pits offer you a complete ready-to-install outdoor living feature. This kit gives you everything you need to start enjoying the outdoors with family and friends







#### Brisa™ Wall System

Available in the following colors.

Arctic Gray

Mahogany Blend

#### Highland Stone® Retaining Walls and Freestanding Walls

Available in the following colors.

- Desert Rose
- Pecan
- Oakstone
- Pewter

#### Diamond®

Available in the following colors.

- Fieldstone
- Rosestone
- Grey

#### Diamond Pro®

Available in the following colors.

- Grey
- Tan

#### Diamond Pro Stone Cut®

Available in the following colors.

- Pecan
- Oakstone
- Pewter

#### Hampton Stone® Straight Face and Beveled Face

Available in the following colors.

- Grev
- Tan
- Chocolate

#### Hampton Stone Cut™

Available in the following colors.

- Hickory
- Pewter
- Pecan
- Desert Rose

#### Aspen Stone®

Available in the following colors.

- Oakstone
- Pewter
- Pecan

#### Windsor Stone®

Available in the following colors.

- Grev
- Red
- Chocolate
- Rosestone
- Fieldstone
- Tan

#### **Flores**®

Available in the following colors.

- Flores Pewter
- Flores Pecan
- Flores Fieldstone

#### Standard Colors



Rosestone



Tan



Hickory



Red





**Flores Pewter** 







**Flores Pecan** 







Pewter



**Arctic Gray** 



**Mahogany Blend** 

Colors: Every effort has been made to assure accuracy in these colors. However, due to the nature of concrete and the molding process, as well as the printing process of these charts, colors may vary slightly. We recommend viewing actual samples as you make your color selection.

### Anchor Wall Systems Product Line

#### Brisa<sup>™</sup> 3-Inch Retaining Wall System



7 1	ig vvan System	Man	A CARLON CO.	230
	Units	Small	Medium	Large
	Approximate Dimensions*	3" x 6" x 7½"	3" x 10" x 7½"	3" x 16" x 7½"
	Approximate Weight*	9 lbs.	14 <b>l</b> bs.	24 lbs.

#### Brisa<sup>™</sup> 6-Inch Retaining Wall System








6 INCH
-----------

O				No. of the contract of the con
Units		Small	Medium	Large
Approxima	te Dimensions*	6" x 6" x 8"	6" x 10" x 8"	6" x 16" x 8"
Approxima	te Weight*	20 lbs.	31 lbs.	52 lbs.

#### Brisa<sup>™</sup> 3-Inch Freestanding Wall System







3 INCH
-----------

Units	Small	Medium	Large
Approximate Dimensions*	3" x 6" x 5"	3" x 10" x 5"	3" x 16" x 5"
Approximate Weight*	6 lbs.	9 lbs.	15 lbs.

#### Brisa<sup>™</sup> 6-Inch Freestanding Wall System







6
INCH

Units	Small	Medium	Large
Approximate Dimensions*	6" x 6" x 5"	6" x 10" x 5"	6" x 16" x 5"
Approximate Weight*	11 <b>l</b> bs.	19 <b>l</b> bs.	28 lbs.

#### Highland Stone® 3-Inch Retaining Wall System







3
INCH

Units	Small	Medium	Large
Approximate Dimensions*	3" x 6" x 11½"	3" x 12" x 11½"	3" x 18" x 11½"
Approximate Weight*	14 lbs.	28 lbs.	41 lbs.

#### Highland Stone® 6-Inch Retaining Wall System







6 **INCH** 

Units	Small	Medium	Large**
Approximate Dimensions*	6" x 6" x 12"	6" x 12" x 12"	6" x 18" x 12"
Approximate Weight*	30 lbs.	59 <b>l</b> bs.	73 lbs.

#### Highland Stone® Freestanding Wall System









6 **INCH** 

Units	Small	Medium	Large	Column
Approximate Dimensions*	Front, 6" x 6" x 9"	6" x 12" x 9"	6" x 18" x 9"	6" x 18" x 9"
	Back, 6" x 4" x 9"	6" x 10" x 9"	6" x 16" x 9"	6" x 18" x 9"
Approximate Weight*	20 lbs.	45 lbs.	70 lbs.	75 <b>l</b> bs.

## Retaining Wall System





Hampton Stone Cut™
Retaining Wall System



6 INCH
INCIT

· ·	The second secon	
Units	Straight Face	Beveled Face
Approximate Dimensions*	6" x 17 <sup>1</sup> / <sub>4</sub> " x 10"	6" x 15 <sup>5</sup> / <sub>8</sub> " x 10"
Approximate Weight*	57 <b>l</b> bs.	52 lbs.

Units	Wall
Approximate Dimensions*	6" x 16 <sup>7</sup> / <sub>8</sub> " x 10"
Approximate Weight*	57 <b>l</b> bs.

#### Diamond® Retaining Wall System






6 INCH

Units	Straight Face	Beveled Face
Approximate Dimensions*	6" x 17 1/4" x 12"	6" x 15 %" x 12"
Approximate Weight*	64 lbs.	60 lbs.

#### Diamond Pro® Retaining Wall System









8 INCH

·		
Units	Straight Face	Beveled Face
Approximate Dimensions*	8" x 18" x 12"	8" x 18" x 12"
Approximate Weight*	74 <b>l</b> bs.	72 <b>l</b> bs.

Units Wall

Approximate Dimensions\* 8" x 18" x 12"

Approximate Weight\* 77 lbs.

## Accessory products









ACC.

Units	Cap	Extra Large Cap	Step Unit	Highland Corner Unit
Approimate Dimensions*	$3^{5}/_{8}$ " x $15^{5}/_{8}$ " x $12$ "	3" x 18" x 13"	6" x 16" x 12"	8" x 18" x 9"
Approximate Weight*	55 <b>l</b> bs.	44 <b>l</b> bs.	85 <b>l</b> bs.	101 <b>l</b> bs.

## Accessory products







ACC.

Units	Anchor™ Base Block	Brisa™ Double-Sided Cap	Brisa™ Corner/Pedestal	
Approximate Dimensions*	4" x 15¾" x 11"	Front, 3" x 7" x 13½" Back, 3" x 8" x 13½"	6" x 165%" x 77/8"	
Approximate Weight*	47 lbs.	22 lbs.	57 lbs.	101 <b>l</b> bs.

#### Flores® Retaining Wall System







Units	Wall	Сар
Approimate Dimensions*	4" x 12" x 7"	2" x 12" x 8"
Approximate Weight*	22 lbs.	14 <b>l</b> bs.

## Aspen Stone<sup>®</sup> Retaining Wall System and Windsor Stone<sup>®</sup> Retaining Wall System







4 INCH

Units	Aspen Stone	Windsor Stone	Сар
Approimate Dimensions*	4" x 11 <sup>5</sup> / <sub>8</sub> " x 7"	4" x 115%" x 8"	$2^{3}/_{8}$ " x $12$ " x $7^{1}/_{2}$ "
Approximate Weight*	22 <b>l</b> bs.	24 lbs.	14 lbs.

### A quick course on pavers

To complete your project, you will need the following hand tools: shovel, tape measure, hammer, chisel, carpenter's level, stakes, string line, garden hose, safety glasses, gloves, pencil, square. You may also need a skid loader, compactor, wheelbarrow and a circular cut-off saw with a masonry blade. Other requirements include a 4-inch-diameter flexible polypropylene drainpipe, a supply of sand and gravel (3/4" minus aggregate with fines) for the base, and gravel (3/4" free-draining aggregate without fines) to use as backfill.

- 1 Using a shovel or a skid loader, dig a trench about 24 iches wide and deep enough to fit the required amount of buried block and compacted base. For walls 4 feet high and under, bury one course of units. For walls taller than 4 feet, consult a qualified engineer for design information. Total wall height includes the height of any buried courses.
- 2 Firmly compact the soil in the bottom of the trench. Lay 6 inches of compactible base (sand and gravel) in the bottom of the trench and compact. (Fig. A)
- 3 Place the first layer of Anchor™ units on the prepared base (rear lips must be manually knocked off units before placement). (Fig. B) Position the units side by side, in full contact with the base, and level in both directions using your carpenter's level. Backfill with free-draining aggregate.
- 4 Continue assembling additional courses by placing units in a staggered relationship to the course beneath (running bond), puling each unit forward until secure. (Fig. C) NOTE: Use gravel (free-draining aggregate) to backfill each additional course as it is installed.
- 5 Place drainpipe behind the wall at grade to allow water to drain from the backfill. (Fig. D) Daylight the drainpipe through the wall at every low point or every 75 feet of wall length and around the ends of the wall. Backfill with free-draining gravel 12 inches behind the wall, in 6-inch layers. Fill in the voids. Organic soil or clay-type soil is not recommended for backfill material.
- 6 Fill any remaining areas behind the wall with soil. (Fig. E) Compact every 12 inches. Repeat steps 4, 5, 6 and 7 until the wall reaches the desired height. For walls taller than 4 feet, consult a qualified engineer for information concerning proper design, backfill and geosynthetic reinforcement.
- 7 Firmly compact native soil every 12 inches behind the wall. (Fig. F) Do not compact directly on top of the units.
- 8 You may need partial blocks. To split a block, use a hammer and chisel to score the block on all sides. Pound the chisel on the score line until the block splits. If the block does not split easily, you may need to use a circular cut-off saw with a masonry blade. Read and understand the operating manual before using a saw. Always wear eye protection when splitting blocks.

  Refer to anchorwall.com for instructions on installing freestanding walls and special applications.











